

**III**
**ADAPTORS BSP, BSPT, NPT, METRIC 60°**


<b>GIG</b>	BSPP X BSPP NIPPLE, 60° SEAT	104
<b>GIGDIN</b>	BSPP X BSPP DIN NIPPLE, 60° SEAT	104
<b>GIGCC</b>	BSPP X BSPT NIPPLE, 60° SEAT	105
<b>GNPT</b>	BSPP X NPT NIPPLE, 60° SEAT	105
<b>GIGCON</b>	BSPT X BSPT NIPPLE, 60° SEAT	106
<b>GIGNPT</b>	NPT X NPT NIPPLE, 60° SEAT	106
<b>GIM</b>	METRIC X METRIC NIPPLE, 60° SEAT	107
<b>RIG</b>	BSPP X BSPP REDUCING NIPPLE, 60° SEAT	108
<b>RIGDIN</b>	BSPP X BSPP REDUCING DIN NIPPLE, 60° SEAT	109
<b>RIGM</b>	BSPP X METRIC REDUCING NIPPLE, 60° SEAT	110
<b>RIMM</b>	METRIC X METRIC REDUCING NIPPLE, 60° SEAT	111
<b>GGMFG</b>	BSPP MALE X BSP FEMALE SWIVEL ADAPTOR, 60° CONE SEAT	112
<b>GGMFM</b>	METRIC MALE X METRIC FEMALE SWIVEL ADAPTOR, 60° CONE SEAT	112
<b>GGFFG</b>	BSP FEMALE X FEMALE SWIVEL ADAPTOR, 60° CONE	113
<b>GGFFM</b>	METRIC FEMALE X METRIC FEMALE SWIVEL ADAPTOR, 60° CONE	113
<b>C90MFG</b>	SWEPT 90° BSPP MALE X BSP FEMALE SWIVEL, 60° CONE SEAT	114
<b>C90MFM</b>	SWEPT 90° METRIC MALE X METRIC FEMALE SWIVEL, 60° CONE SEAT	114
<b>C90FFG</b>	SWEPT 90° ADAPTOR BSP FEMALE X FEMALE SWIVEL, 60° CONE	115
<b>C90FFM</b>	SWEPT 90° ADAPTOR METRIC FEMALE X FEMALE SWIVEL, 60° CONE	115
<b>C45MFG</b>	SWEPT 45° BSPP MALE X BSP FEMALE SWIVEL, 60° CONE SEAT	116
<b>C45MFM</b>	SWEPT 45° METRIC MALE X METRIC FEMALE SWIVEL, 60° CONE SEAT	116
<b>C45FFG</b>	SWEPT 45° ADAPTOR BSP FEMALE X FEMALE SWIVEL, 60° CONE	117
<b>C45FFM</b>	SWEPT 45° ADAPTOR METRIC FEMALE X FEMALE SWIVEL, 60° CONE	117
<b>PCG</b>	BSPP MALE X BSPP FIXED FEMALE ADAPTOR, 60° CONE SEAT	118
<b>PCM</b>	METRIC MALE X METRIC FIXED FEMALE ADAPTOR, 60° CONE SEAT	118
<b>PLG</b>	BSPP MALE X BSPP FIXED FEMALE LONG ADAPTOR, 60° CONE SEAT	119
<b>PLM</b>	METRIC MALE X METRIC FIXED FEMALE LONG ADAPTOR, 60° CONE SEAT	119

<b>III</b>	<b>ADAPTORS BSP, BSPT, NPT, METRIC 60°</b>	
<b>PCRG</b>	BSPP MALE X BSPP FIXED FEMALE REDUCING ADAPTOR, 60° CONE SEAT	120
<b>PCRGM</b>	BSPP MALE X METRIC FIXED FEMALE ADAPTOR, 60° CONE S EAT	121
<b>PCRMG</b>	METRIC MALE X BSPP FIXED FEMALE ADAPTOR, 60° CONE S EAT	121
<b>PCFFG</b>	BSPP FIXED FEMALE CONNECTOR	122
<b>PLMMG</b>	BSPP MALE X MALE LONG CONNECTOR	122
<b>RMN</b>	BSPP REDUCING BUSH, 60° CONE	123
<b>TMG</b>	BSPP PLUG, 60° CONE	124
<b>TMM</b>	METRIC PLUG, 60° CONE	124
<b>TFG</b>	BSP CAP, 60° CONE	125
<b>TFM</b>	METRIC CAP, 60° CONE	125
<b>BFG</b>	BSP BANJO BOLT	126
<b>BFM</b>	METRIC BANJO BOLT	126
<b>BFDG</b>	BSP BANJO BOLT - DOUBLE	127
<b>BFDM</b>	METRIC BANJO BOLT - DOUBLE	127
<b>OFG</b>	BSP BANJO X BSPP MALE, 60° SEAT	128
<b>OFBG</b>	BSP BANJO X BSPP MALE WITH COLLAR, 60° SEAT	128
<b>OFC</b>	BSP BANJO X METRIC STANDPIPE	129
<b>OFL</b>	BSP BANJO X METRIC MALE, 24° SEAT	129
<b>OFM</b>	BSP BANJO X METRIC MALE, 60° SEAT	130
<b>OFRG</b>	BSP BANJO X BSPP MALE REDUCING, 60° SEAT	130
<b>OFRGM</b>	BSP BANJO X METRIC MALE REDUCING, 60° SEAT	131
<b>OFRMG</b>	METRIC BANJO X BSPP MALE REDUCING, 60° SEAT	131
<b>P</b>	BSPP BULKHEAD ADAPTOR, 60° SEAT	132
<b>C</b>	NUT FOR BSPP BULKHEAD ADAPTOR	132
<b>BSG</b>	BSP FEMALE WELD BOSS	133
<b>BSM</b>	METRIC FEMALE WELD BOSS	133
<b>MNEG</b>	BSPP MALE X TUBE WELD, 60° SEAT	134

<b>III ADAPTORS BSP, BSPT, NPT, METRIC 60°</b>		
<b>MNEM</b>	METRIC MALE X TUBE WELD, 60°SEAT	134
<b>MNTG</b>	BSPP MALE X TUBE WELD, 60°SEAT	135
<b>OSSG</b>	WELD NIPPLE FOR SLIP NUTS	135
<b>DSG</b>	BSPP SLIP NUT	136
<b>DSM</b>	METRIC SLIP NUT	136
<b>OCSG</b>	BSP BANJO X TUBE WELD	137
<b>OCSM</b>	METRIC BANJO X TUBE WELD	138
<b>C90MMG</b>	ELBOW 90°BSPP X BSPT MALE, 60°CONE	139
<b>COG</b>	ELBOW 90°BSPP ADJUSTABLE	139
<b>C90MFGC</b>	ELBOW 90°BSPP MALE X BSPT FEMALE SWIVEL, 60°CONE SEAT	140
<b>TMMM</b>	TEE BSPP MALE X MALE X MALE, 60°SEAT	141
<b>TMFM</b>	TEE BSPP MALE X FEMALE X MALE, 60°CONE SEAT	141
<b>TMMF</b>	TEE BSPP MALE X MALE X FEMALE, 60°SEAT	142
<b>TMBG</b>	BSPP PLUG - INNER HEXAGON DIN 908	143
<b>TMBORG</b>	BSPP PLUG - INNER HEXAGON C/W SEAL	143
<b>TSTG</b>	BSPT PLUG - INNER HEXAGON DIN 906	144
<b>RBG</b>	BSP BONDED SEAL	145
<b>RBM</b>	METRIC BONDED SEAL	145
<b>RRG</b>	BSP COPPER SEAL	146
<b>RRM</b>	METRIC COPPER SEAL	146
<b>RAG</b>	BSP ALLUMINIUM SEAL	147
<b>RAM</b>	METRIC ALLUMINIUM SEAL	147
<b>MFF</b>	BSPP FIXED FEMALE CONNECTOR - ASA 3000	148
<b>C90ASAG</b>	ELBOW 90°BSPP FIXED FEMALE - ASA 2000	148
<b>TASAG</b>	TEE BSPP FIXED FEMALE - ASA 2000	149
<b>CASAG</b>	CROSS BSPP FIXED FEMALE - ASA 2000	149

## GIG


### BSPP X BSPP NIPPLE, 60° SEAT



Artikelcode	Draad		Afmeting (mm)			
	F	F'	CH	A	M	M'
GIG02	1/8		14	25,9	9,6	
GIG04	1/4		19	29,6	11,2	
GIG06	3/8		22	35,6	13,6	
GIG08	1/2		27	39,2	14,8	
GIG10	5/8		30	42,6	16	
GIG12	3/4		32	44,8	17	
GIG16	1"		41	52,6	20,3	
GIG20	1 1/4		50	59,5	22	
GIG24	1 1/2		55	59,8	22	
GIG32	2"		70	65	24	

## GIGDIN


### BSPP X BSPP "DIN" NIPPLE, 60° SEAT



Artikelcode	Draad		Afmeting (mm)			
	F	F'	CH	A	M	M'
GIGDIN02	1/8		14	27,7	11,1	
GIGDIN04	1/4		19	32,4	11,2	
GIGDIN06	3/8		22	39,2	13,6	
GIGDIN08	1/2		27	43,6	14,8	
GIGDIN10	5/8		30	47	16	
GIGDIN12	3/4		32	49	17	
GIGDIN16	1"		41	56,6	20,3	
GIGDIN20	1 1/4		50	63,5	22	
GIGDIN24	1 1/2		55	63,8	22	
GIGDIN32	2"		70	70	24	

## GIGCC


### BSPP X BSPT NIPPLE, 60° SEAT



Artikelcode	Draad F	Draad F'	Afmeting (mm)			
			CH	A	M	M'
GIGCC02		1/8	14	25,7	9,6	10
GIGCC04		1/4	19	31,8	11,2	14
GIGCC06		3/8	22	35,8	13,6	14,5
GIGCC08		1/2	27	42,6	14,8	19
GIGCC10		5/8	30	44,8	16	19
GIGCC12		3/4	32	45,9	17	19
GIGCC16		1"	41	55,3	20,3	24
GIGCC20		1 1/4	50	61	22	24,5
GIGCC24		1 1/2	55	61,8	22	25
GIGCC32		2"	70	66	24	26

## GNPT


### BSPP X NPT NIPPLE, 60° SEAT



Artikelcode	Draad F	Draad F'	Afmeting (mm)			
			CH	A	M	M'
GNPT02		1/8				
GNPT04		1/4	19	32	11,2	14,2
GNPT06		3/8	22	35,5	13,6	14,2
GNPT08		1/2	27	42,6	14,8	19
GNPT10		5/8				
GNPT12		3/4	32	45,9	17	19
GNPT16		1"	41	56,3	20,3	23,9
GNPT20		1 1/4	50	61,1	22	24,6
GNPT24		1 1/2	55	62,2	22	25,4
GNPT32		2"	70	66,2	24	26,2

## GIGCON


### BSPT X BSPT NIPPLE, 60° SEAT



Atikelcode	Draad		Afmeting (mm)			
	F	F'	CH	A	M	M'
GIGCON02		1/8	12	25,5		10
GIGCON04		1/4	15	34		14
GIGCON06		3/8	19	36		14,5
GIGCON08		1/2	22	46		19
GIGCON10		5/8				
GIGCON12		3/4	27	47		19
GIGCON16		1"	36	58		24
GIGCON20		1 1/4	46	62,5		24,5
GIGCON24		1 1/2	50	63,8		25
GIGCON32		2"	65	67		26

## GIGNPT


### NPT X NPT NIPPLE, 60° SEAT



Atikelcode	Draad		Afmeting (mm)			
	F	F'	CH	A	M	M'
GIGNPT02		1/8	12	24,9		9,7
GIGNPT04		1/4	15	34,4		14,2
GIGNPT06		3/8	19	35,4		14,2
GIGNPT08		1/2	22	46		19
GIGNPT10		5/8				
GIGNPT12		3/4	27	47		19
GIGNPT16		1"	36	57,8		23,9
GIGNPT20		1 1/4	46	62,7		24,6
GIGNPT24		1 1/2	50	64,6		25,4
GIGNPT32		2"	65	67,4		26,2

## GIM


### METRIC X METRIC NIPPLE, 60° SEAT



Artikelcode	Draad		Afmeting (mm)			
	F	F'	CH	A	M	M'
GIM10	M10 x 1		14	22,1	8	
GIM12	M12 x 1,5		17	29,7	11	
GIM14	M14 x 1,5		19	31,8	12	
GIM16	M16 x 1,5		22	35,1	13	
GIM18	M18 x 1,5		24	37,1	14	
GIM20	M20 x 1,5		27	38,4	14	
GIM22	M22 x 1,5		27	40,4	15	
GIM24	M24 x 1,5		32	43,7	16	
GIM26	M26 x 1,5		32	43,7	16	
GIM30	M30 x 1,5		36	45	16	

## RIG

### BSPP X BSPP REDUCING NIPPLE, 60° SEAT




Atikelcode	Draad		Afmeting (mm)			
	F	F'	CH	A	M	M'
RIG0402	1/4	1/8	19	28	11,2	9,6
RIG0602	3/8	1/8	22	31,5	13,6	9,6
RIG0604	3/8	1/4	22	33,1	13,6	11,2
RIG0804	1/2	1/4	27	35,4	14,8	11,2
RIG0806	1/2	3/8	27	37,9	14,8	13,6
RIG1008	5/8	1/2	30	41,4	16	14,8
RIG1204	3/4	1/4	32	38,7	17	11,2
RIG1206	3/4	3/8	32	41,2	17	13,6
RIG1208	3/4	1/2	32	42,5	17	14,8
RIG1210	3/4	5/8	32	43,7	17	16
RIG1604	1"	1/4	41	43,1	20,3	11,2
RIG1606	1"	3/8	41	45,6	20,3	13,6
RIG1608	1"	1/2	41	46,9	20,3	14,8
RIG1612	1"	3/4	41	49,2	20,3	17
RIG2012	1"1/4	3/4	50	54,4	22	17
RIG2016	1"1/4	1"	50	57,8	22	20,3
RIG2412	1"1/2	3/4	55	54,7	22	17
RIG2416	1"1/2	1"	55	58,1	22	20,3
RIG2420	1"1/2	1"1/4	55	59,8	22	22
RIG3216	2"	1"	70	61,3	24	20,3
RIG3220	2"	1"1/4	70	63	24	22
RIG3224	2"	1"1/2	70	63	24	22



## RIGDIN


### BSPP X BSPP REDUCING "DIN" NIPPLE, 60° SEAT



Artikelcode	Draad		Afmeting (mm)			
	F	F'	CH	A	M	M'
RIGDIN0402	1/4	1/8	19	30,3	11,2	9,6
RIGDIN0604	3/8	1/4	22	36,3	13,6	11,2
RIGDIN0804	1/2	1/4	27	39	14,8	11,2
RIGDIN0806	1/2	3/8	27	41,9	14,8	13,6
RIGDIN1008	5/8	1/2	30	45,8	16	14,8
RIGDIN1206	3/4	3/8	32	45,1	17	13,6
RIGDIN1208	3/4	1/2	32	46,8	17	14,8
RIGDIN1210	3/4	5/8	32	48	17	16
RIGDIN1608	1"	1/2	41	51,1	20,3	14,8
RIGDIN1612	1"	3/4	41	53,3	20,3	17
RIGDIN2012	1"1/4	3/4	50	58,5	22	17
RIGDIN2016	1"1/4	1"	50	61,8	22	20,3
RIGDIN2416	1"1/2	1"	55	62,1	22	20,3
RIGDIN2420	1"1/2	1"1/4	55	63,8	22	22
RIGDIN3216	2"	1"	70	65,8	24	20,3
RIGDIN3220	2"	1"1/4	70	67,5	24	22
RIGDIN3224	2"	1"1/2	70	67,5	24	22

## RIGM


### BSP X METRIC REDUCING NIPPLE, 60° SEAT



Atikelcode	Draad F	Draad F'	Afmeting (mm)			
			CH	A	M	M'
RIGM0410	1/4	M10 x 1	19	26,4	11,2	8
RIGM0412	1/4	M12 x 1,5	19	29,4	11,2	11
RIGM0414	1/4	M14 x 1,5	19	30,4	11,2	12
RIGM0416	1/4	M16 x 1,5	22	33,2	11,2	13
RIGM0418	1/4	M18 x 1,5	24	34,2	11,2	14
RIGM0422	1/4	M22 x 1,5	27	36,4	11,2	15
RIGM0614	3/8	M14 x 1,5	22	33,9	13,6	12
RIGM0616	3/8	M16 x 1,5	22	35	13,6	13
RIGM0618	3/8	M18 x 1,5	24	36,7	13,6	14
RIGM0622	3/8	M22 x 1,5	27	38,9	13,6	15
RIGM0814	1/2	M14 x 1,5				
RIGM0816	1/2	M16 x 1,5	27	37,3	14,8	13
RIGM0818	1/2	M18 x 1,5	27	38,3	14,8	14
RIGM0820	1/2	M20 x 1,5	27	38,4	14,8	14
RIGM0822	1/2	M22 x 1,5	27	40,2	14,8	15
RIGM0826	1/2	M26 x 1,5	32	42,4	14,8	16
RIGM1218	3/4	M18 x 1,5	32	41,6	17	14
RIGM1222	3/4	M22 x 1,5	32	42,7	17	15
RIGM1226	3/4	M26 x 1,5	32	43,8	17	16

## RIMM


### METRIC X METRIC REDUCING NIPPLE, 60° SEAT



Artikelcode	Draad F	Draad F'	Afmeting (mm)			
			CH	A	M	M'
RIMM1012	M10 x 1	M12 x 1,5				
RIMM1014	M10 x 1	M14 x 1,5				
RIMM1016	M10 x 1	M16 x 1,5				
RIMM1214	M12 x 1,5	M14 x 1,5	19	30,8	11	12
RIMM1216	M12 x 1,5	M16 x 1,5	22	33	11	13
RIMM1218	M12 x 1,5	M18 x 1,5	24	34	11	14
RIMM1416	M14 x 1,5	M16 x 1,5	22	34	12	13
RIMM1418	M14 x 1,5	M18 x 1,5	24	35	12	14
RIMM1420	M14 x 1,5	M20 x 1,5				
RIMM1422	M14 x 1,5	M22 x 1,5	27	37,2	12	15
RIMM1618	M16 x 1,5	M18 x 1,5	24	36,1	13	14
RIMM1620	M16 x 1,5	M20 x 1,5	27	37,3	13	14
RIMM1622	M16 x 1,5	M22 x 1,5	27	38,3	13	15
RIMM1820	M18 x 1,5	M20 x 1,5	27	38,3	14	14
RIMM1822	M18 x 1,5	M22 x 1,5	27	39,3	14	15
RIMM1826	M18 x 1,5	M26 x 1,5	32	41,5	14	16
RIMM2022	M20 x 1,5	M22 x 1,5	27	39,4	14	15
RIMM2024	M20 x 1,5	M24 x 1,5	32	41,6	14	16
RIMM2224	M22 x 1,5	M24 x 1,5	32	42,6	15	16
RIMM2226	M22 x 1,5	M26 x 1,5	32	42,6	15	16
RIMM2426	M24 x 1,5	M26 x 1,5	32	43,7	16	16
RIMM2630	M26 x 1,5	M30 x 1,5	36	44,9	16	16

## GGMFG


### BSPB MALE X BSP FEMALE SWIVEL ADAPTOR, 60° CONE SEAT



Atikelcode	Draad F	Draad F'	Afmeting (mm)			
			CH	CH'	A	M
GGMFG02		1/8	14	15	26,2	9,6
GGMFG04		1/4	19	19	29,4	11,2
GGMFG06		3/8	22	22	34,1	13,6
GGMFG08		1/2	27	27	38,2	14,8
GGMFG10		5/8	30	28	39,5	16
GGMFG12		3/4	32	32	43	17
GGMFG16		1"	41	38	47,6	20,3
GGMFG20		1 1/4	50	50	59,9	22
GGMFG24		1 1/2	55	55	61	22
GGMFG32		2"	70	70	62,5	24,0

## GGMFM


### METRIC MALE X METRIC FEMALE SWIVEL ADAPTOR, 60° CONE SEAT



Atikelcode	Draad F	Draad F'	Afmeting (mm)			
			CH	CH'	A	M
GGMFM10		M10 x 1				
GGMFM12		M12 x 1,5				
GGMFM14		M14 x 1,5	19	19	30,8	12
GGMFM16		M16 x 1,5	22	22	34,2	13
GGMFM18		M18 x 1,5	24	24	35,2	14
GGMFM20		M20 x 1,5	27	27	38,2	14
GGMFM22		M22 x 1,5	27	27	39,2	15
GGMFM24		M24 x 1,5				
GGMFM26		M26 x 1,5				
GGMFM30		M30 x 1,5				

## GGFFG


### BSP FEMALE X FEMALE SWIVEL ADAPTOR, 60° CONE



Atikelcode	Draad		Afmeting (mm)		
	F	F'	CH	CH'	A
GGFFG02	1/8				
GGFFG04	1/4		19	19	29,2
GGFFG06	3/8		22	22	32,6
GGFFG08	1/2		27	27	37,2
GGFFG10	5/8		30	28	36,4
GGFFG12	3/4		32	32	41,2
GGFFG16	1"		41	38	42,6
GGFFG20	1 1/4"		50	50	52,7
GGFFG24	1 1/2"		55	55	58,4
GGFFG32	2"		70	70	65,6

## GGFFM


### METRIC FEMALE X METRIC FEMALE SWIVEL ADAPTOR, 60° CONE



Atikelcode	Draad		Afmeting (mm)		
	F	F'	CH	CH'	A
GGFFM10	M10 x 1				
GGFFM12	M12 x 1,5				
GGFFM14	M14 x 1,5		19	19	29,2
GGFFM16	M16 x 1,5		22	22	32,6
GGFFM18	M18 x 1,5		24	24	32,6
GGFFM20	M20 x 1,5				
GGFFM22	M22 x 1,5		27	27	37,2
GGFFM24	M24 x 1,5				
GGFFM26	M26 x 1,5				
GGFFM30	M30 x 1,5				

## C90MFG


SWEPT 90° BSPP MALE X BSP FEMALE SWIVEL, 60° CONE SEAT



Atikelcode	Draad F	Draad F'	Afmeting (mm)				
			CH	CH'	A	B	M
C90MFG02	1/8 Gas		14	15	33	26	9,6
C90MFG04	1/4 Gas		19	19	33	32	11,2
C90MFG06	3/8 Gas		22	22	48	37	13,6
C90MFG08	1/2 Gas		27	27	48	45	14,8
C90MFG10	5/8 Gas		30	28	57	53	16
C90MFG12	3/4 Gas		32	32	60	57	17
C90MFG16	1" Gas		41	38	68	66	20,3
C90MFG20	1 1/4 Gas		50	50	77	67	22
C90MFG24	1 1/2 Gas		55	55	93	99	22
C90MFG32	2" Gas		70	70	120	108	24

## C90MFM


SWEPT 90° METRIC MALE X METRIC FEMALE SWIVEL, 60° CONE SEAT



Atikelcode	Draad F	Draad F'	Afmeting (mm)				
			CH	CH'	A	B	M
C90MFM10	M10 x 1						
C90MFM12	M12 x 1,5						
C90MFM14	M14 x 1,5		19	19	40	30	12
C90MFM16	M16 x 1,5		22	22	52	38	13
C90MFM18	M18 x 1,5		24	24	52	44	14
C90MFM20	M20 x 1,5						
C90MFM22	M22 x 1,5		27	27	54	46	15
C90MFM24	M24 x 1,5						
C90MFM26	M26 x 1,5						
C90MFM30	M30 x 1,5						

## C90FFG


SWEPT 90° ADAPTOR BSP FEMALE X FEMALE SWIVEL, 60° C ONE



Artikelcode	Draad F	Draad F'	Afmeting (mm)		
			CH	A	B
C90FFG02		1/8			
C90FFG04		1/4	19	34	35
C90FFG06		3/8	22	41	41
C90FFG08		1/2	27	46	46
C90FFG10		5/8	28	56	56
C90FFG12		3/4	32	58	58
C90FFG16		1"	38	69	69
C90FFG20		1 1/4	50	73	73
C90FFG24		1 1/2	55	87	87
C90FFG32		2"	70	110	110

## C90FFM


SWEPT 90° ADAPTOR METRIC FEMALE X FEMALE SWIVEL, 60° CONE



Artikelcode	Draad F	Draad F'	Afmeting (mm)		
			CH	A	B
C90FFM10		M10 x 1			
C90FFM12		M12 x 1,5			
C90FFM14		M14 x 1,5	19	34	35
C90FFM16		M16 x 1,5	22	41	41
C90FFM18		M18 x 1,5	24	41	41
C90FFM20		M20 x 1,5			
C90FFM22		M22 x 1,5	27	46	46
C90FFM24		M24 x 1,5			
C90FFM26		M26 x 1,5			
C90FFM30		M30 x 1,5			

## C45MFG


SWEPT 45° BSPF MALE X BSP FEMALE SWIVEL, 60° CONE SEAT



Artikelcode	Draad F	Draad F'	Afmeting (mm)				
			CH	CH'	A	B	M
C45MFG04	1/4 Gas		19	19	48	21	11,2
C45MFG06	3/8 Gas		22	22	58	23	13,6
C45MFG08	1/2 Gas		27	27	61	24	14,8
C45MFG10	5/8 Gas		30	28	71	26	16
C45MFG12	3/4 Gas		32	32	76	30	17
C45MFG16	1" Gas		41	38	84	37	20,3
C45MFG20	1 1/4 Gas		50	50	90	37	22
C45MFG24	1 1/2 Gas		55	55	110	41	22
C45MFG32	2" Gas		70	70	120	52	24

## C45MFM

SWEPT 45° METRIC MALE X METRIC FEMALE SWIVEL, 60° CONE SEAT




Artikelcode	Draad F	Draad F'	Afmeting (mm)				
			CH	CH'	A	B	M
C45MFM10	M10 x 1						
C45MFM12	M12 x 1,5						
C45MFM14	M14 x 1,5		19	19	50	19	12
C45MFM16	M16 x 1,5		22	22	56	21	13
C45MFM18	M18 x 1,5		24	24	59	24	14
C45MFM20	M20 x 1,5						
C45MFM22	M22 x 1,5		27	27	66	25	15
C45MFM24	M24 x 1,5						
C45MFM26	M26 x 1,5						
C45MFM30	M30 x 1,5						



## C45FFG


SWEPT 45° ADAPTOR BSP FEMALE X FEMALE SWIVEL, 60°C ONE



Artikelcode	Draad F	Draad F'	Afmeting (mm)		
			CH	A	B
C45FFG02		1/8			
C45FFG04		1/4	19	50	19
C45FFG06		3/8	22	60	22
C45FFG08		1/2	27	61	24
C45FFG10		5/8	28	75	25
C45FFG12		3/4	32	78	32
C45FFG16		1"	38	90	36
C45FFG20		1 1/4	50	93	38
C45FFG24		1 1/2	55		
C45FFG32		2"	70	112	41

## C45FFM


SWEPT 45° ADAPTOR METRIC FEMALE X FEMALE SWIVEL, 60°C CONE



Artikelcode	Draad F	Draad F'	Afmeting (mm)		
			CH	A	B
C45FFM10		M10 x 1			
C45FFM12		M12 x 1,5			
C45FFM14		M14 x 1,5	19	50	19
C45FFM16		M16 x 1,5	22	60	22
C45FFM18		M18 x 1,5	24	60	22
C45FFM20		M20 x 1,5			
C45FFM22		M22 x 1,5	27	61	24
C45FFM24		M24 x 1,5			
C45FFM26		M26 x 1,5			
C45FFM30		M30 x 1,5			

## PCG


### BSPB MALE X BSPB FIXED FEMALE ADAPTOR, 60° CONE SEAT



Code article	Thread		Dimensions (mm)		
	F	F'	CH	A	M
PCG02	1/8		14	15	9,6
PCG04	1/4		19	24	11,2
PCG06	3/8		22	25	13,6
PCG08	1/2		27	26	14,8
PCG10	5/8		30	25	16
PCG12	3/4		32	40	17
PCG16	1"		41	46	20,3
PCG20	1 1/4		50	32	22
PCG24	1 1/2		55	35	22
PCG32	2"		70	36	24

## PCM


### METRIC MALE X METRIC FIXED FEMALE ADAPTOR, 60° CONE SEAT



Atikelcode	Draad		Afmeting (mm)		
	F	F'	CH	A	M
PCM10	M10 x 1		14	15	8
PCM12	M12 x 1,5				
PCM14	M14 x 1,5		19	23	12
PCM16	M16 x 1,5		22	27	13
PCM18	M18 x 1,5		24	28	14
PCM20	M20 x 1,5		27	25	14
PCM22	M22 x 1,5		27	29	15
PCM26	M26 x 1,5		32	30	16

## PLG


### BSPP MALE X BSPP FIXED FEMALE LONG ADAPTOR, 60° CONE SEAT



Atikelcode	Draad		Afmeting (mm)		
	F	F'	CH	A	M
PLG02		1/8	14	30	9,6
PLG04		1/4	19	40	11,2
PLG06		3/8	22	41	13,6
PLG08H50		1/2	27	35	14,8
PLG08		1/2	27	46	14,8
PLG10		5/8	30	45	16
PLG12		3/4	32	55	17
PLG16		1"	41	60	20,3
PLG20		1 1/4	50	70	22
PLG24		1 1/2	55	76	22
PLG32		2"	70	80	24

## PLM


### METRIC MALE X METRIC FIXED FEMALE LONG ADAPTOR, 60° CONE SEAT



Atikelcode	Draad		Afmeting (mm)		
	F	F'	CH	A	M
PLM10		M10 x 1	14	30	8
PLM12		M12 x 1,5			
PLM14		M14 x 1,5	19	35	12
PLM16		M16 x 1,5	22	40	13
PLM18		M18 x 1,5	24	40	14
PLM20		M20 x 1,5	27	46	14
PLM22		M22 x 1,5	27	45	15
PLM26		M26 x 1,5	32	51	16

## PCRG


### BSPP MALE X BSPP FIXED FEMALE REDUCING ADAPTOR, 60° CONE SEAT



Artikelcode	Draad F	Draad F'	Afmeting (mm)		
			CH	A	M
PCRG0204	1/8	1/4	19	22	9,6
PCRG0402	1/4	1/8	19	22	11,2
PCRG0406	1/4	3/8	22	25	11,2
PCRG0408	1/4	1/2	27	26	11,2
PCRG0604	3/8	1/4	22	25	13,6
PCRG0608	3/8	1/2	27	26	13,6
PCRG0612	3/8	3/4	32	40	13,6
PCRG0804	1/2	1/4	27	26	14,8
PCRG0806	1/2	3/8	27	26	14,8
PCRG0812	1/2	3/4	32	40	14,8
PCRG0816	1/2	1"	41	46	14,8
PCRG1206	3/4	3/8	32	40	17
PCRG1208	3/4	1/2	32	40	17
PCRG1216	3/4	1"	41	46	17
PCRG1608	1"	1/2	41	46	20,3
PCRG1612	1"	3/4	41	46	20,3
PCRG1620	1"	1*1/4	50	34	20,3
PCRG1624	1"	1*1/2	55	36	20,3
PCRG2012	1*1/4	3/4	50	32	22
PCRG2016	1*1/4	1"	50	32	22

## PCRGM


### BSPP MALE X METRIC FIXED FEMALE ADAPTOR, 60° CONE SEAT



Artikelcode	Draad F	Draad F'	Afmeting (mm)		
			CH	A	M
PCRGM0412	1/4	M12 x 1,5			
PCRGM0616	3/8	M16 x 1,5	22	17,5	13,6
PCRGM0618	3/8	M18 x 1,5	24	18,5	13,6
PCRGM0622	3/8	M22 x 1,5			
PCRGM0816	1/2	M16 x 1,5			
PCRGM0818	1/2	M18 x 1,5	27	19,2	14,8
PCRGM0822	1/2	M22 x 1,5	27	21,2	14,8
PCRGM0826	1/2	M26 x 1,5			
PCRGM1226	3/4	M26 x 1,5			
PCRGM1626	1"	M26 x 1,5			

## PCRMG


### METRIC MALE X BSPP FIXED FEMALE ADAPTOR, 60° CONE SEAT



Artikelcode	Draad F	Draad F'	Afmeting (mm)		
			CH	A	M
PCRMG1404	M14 x 1,5	1/4			
PCRMG1804	M18 x 1,5	1/4			
PCRMG1806	M18 x 1,5	3/8	24	19	14
PCRMG1808	M18 x 1,5	1/2	27	20	14
PCRMG2206	M22 x 1,5	3/8			
PCRMG2208	M22 x 1,5	1/2	27	21	15
PCRMG2212	M22 x 1,5	3/4			
PCRMG2608	M26 x 1,5	1/2			
PCRMG2612	M26 x 1,5	3/4			
PCRMG2616	M26 x 1,5	1"			

## PCFFG


### BSPP FIXED FEMALE CONNECTOR



Artikelcode	Draad F	Afmeting (mm)		
		CH	A	
PCFFG02	1/8	14	30	
PCFFG04	1/4	19	30	
PCFFG06	3/8	22	35	
PCFFG08	1/2	27	40	
PCFFG10	5/8	30		
PCFFG12	3/4	32	40	
PCFFG16	1"	41	50	
PCFFG20	1 1/4	50	50	
PCFFG24	1 1/2	55		
PCFFG32	2"	70		

## PLMMG


### BSPP MALE X MALE LONG CONNECTOR



Artikelcode	Draad F	Afmeting (mm)			
		CH	A	M	
PLMMG04	1/4	19	28	11,2	
PLMMG06	3/8	22	34	13,6	
PLMMG08	1/2	27	40	14,8	
PLMMG12	3/4	32	41	17	
PLMMG16	1"	41	41	20,3	

## RMN


### BSPP REDUCING BUSH, 60° CONE



Artikelcode	Draad F	Draad F'	Afmeting (mm)		
			CH	A	M
RMN0402	1/4	1/8	19	17,8	11,2
RMN0602	3/8	1/8	22	21,3	13,6
RMN0604	3/8	1/4	22	21,3	13,6
RMN0804	1/2	1/4	27	23,6	14,8
RMN0806	1/2	3/8	27	23,6	14,8
RMN1204	3/4	1/4	32	26,9	17
RMN1206	3/4	3/8	32	26,9	17
RMN1208	3/4	1/2	32	26,9	17
RMN1604	1"	1/4	41	31,3	20,3
RMN1606	1"	3/8	41	31,3	20,3
RMN1608	1"	1/2	41	31,3	20,3
RMN1612	1"	3/4	41	31,3	20,3
RMN2012	1"1/4	3/4	50	36,5	22
RMN2016	1"1/4	1"	50	36,5	22
RMN2416	1"1/2	1"	55	36,8	22
RMN2420	1"1/2	1"1/4	55	36,8	22
RMN3216	2"	1"	70	40	24
RMN3220	2"	1"1/4	70	40	24
RMN3224	2"	1"1/2	70	40	24

## TMG


### BSPB PLUG, 60° CONE



Artikelcode	Draad F	Afmeting (mm)			
		CH	A	M	
TMG02	1/8	14	15,7	9,6	
TMG04	1/4	19	17,8	11,2	
TMG06	3/8	22	21,3	13,6	
TMG08	1/2	27	23,6	14,8	
TMG10	5/8	30	25,8	16	
TMG12	3/4	32	26,9	17	
TMG16	1"	41	31,3	20,3	
TMG20	1 1/4	50	36,5	22	
TMG24	1 1/2	55	36,8	22	
TMG32	2"	70	40	24	

## TMM

### METRIC PLUG, 60° CONE




Artikelcode	Draad F	Afmeting (mm)			
		CH	A	M	
TMM10	M10 x 1	14	13,5	8	
TMM12	M12 x 1,5	17	18,1	11	
TMM14	M14 x 1,5	19	19,2	12	
TMM16	M16 x 1,5	22	21,4	13	
TMM18	M18 x 1,5	24	22,4	14	
TMM20	M20 x 1,5	27	23,6	14	
TMM22	M22 x 1,5	27	24,6	15	
TMM24	M24 x 1,5	32	26,8	16	
TMM26	M26 x 1,5	32	26,8	16	
TMM30	M30 x 1,5	36	28	16	



## TFG


### BSP CAP, 60° CONE



Artikelcode	Draad F	Afmeting (mm)		
		CH	A	
TFG02	1/8	15		
TFG04	1/4	19	16,1	
TFG06	3/8	22	17,3	
TFG08	1/2	27	19,1	
TFG10	5/8	28	15,9	
TFG12	3/4	32	20,6	
TFG16	1"	38	20,8	
TFG20	1 1/4	50	23,4	
TFG24	1 1/2	55	23,4	
TFG32	2"	70	23,4	

## TFM


### METRIC CAP, 60° CONE



Artikelcode	Draad F	Afmeting (mm)		
		CH	A	
TFM10	M10 x 1	15		
TFM12	M12 x 1,5	17	12,8	
TFM14	M14 x 1,5	19	16,1	
TFM16	M16 x 1,5	22	17,3	
TFM18	M18 x 1,5	24	17,3	
TFM20	M20 x 1,5			
TFM22	M22 x 1,5	27	19,1	
TFM24	M24 x 1,5			
TFM26	M26 x 1,5	32	20,6	
TFM30	M30 x 1,5			

## BFG


### BSP BANJO BOLT



Artikelcode	Draad F	Afmeting (mm)			
		CH	A	B	M
BFG02	1/8	14	24	19	9
BFG04	1/4	19	33,6	27	13
BFG06	3/8	22	38,7	31	15
BFG08	1/2	27	46,8	38	16
BFG10	5/8	30	49,8	40	16
BFG12	3/4	32	58	48	18
BFG16	1"	41	69	58	25
BFG20	1 1/4				
BFG24	1 1/2				
BFG32	2"				

## BFM


### METRIC BANJO BOLT



Artikelcode	Draad F	Afmeting (mm)			
		CH	A	B	M
BFM08	M8x1	12	21	16	9
BFM10	M10 x 1	14	24,9	19	11
BFM12	M12 x 1,5	17	30,5	24	12,4
BFM14	M14 x 1,5	19	33,6	27	14,9
BFM16	M16 x 1,5	22	38,7	31	17
BFM18	M18 x 1,5	24	43,7	36	18,2
BFM20	M20 x 1,5	27	44,8	36	17,3
BFM22	M22 x 1,5	27	47,8	39	19,4
BFM24	M24 x 1,5	32	51,9	42	18,7
BFM26	M26 x 1,5	32	57,9	48	22,6
BFM30	M30 x 1,5	36	59	48	25,3

## BFDG


### BSP BANJO BOLT - DOUBLE



Artikelcode	Draad F	Afmeting (mm)			
		CH	A	B	M
BFDG02	1/8	14	39	33,4	9
BFDG04	1/4	19	49,1	43,1	13
BFDG06	3/8	22	56,2	49,2	15
BFDG08	1/2	27	70,3	62,3	16
BFDG10	5/8				
BFDG12	3/4	32	87,6	77,8	22,4
BFDG16	1"	41	106	93,8	26,5
BFDG20	1 1/4				
BFDG24	1 1/2				
BFDG32	2"				

## BFDM


### METRIC BANJO BOLT - DOUBLE



Artikelcode	Draad F	Afmeting (mm)			
		CH	A	B	M
BFDM10	M10 x 1	14	35	30,6	10
BFDM12	M12 x 1,5	17	47,1	40,8	13,6
BFDM14	M14 x 1,5	19	46,3	39,7	15,6
BFDM16	M16 x 1,5	22	57,9	50,8	17
BFDM18	M18 x 1,5	24	65,6	57,7	17,5
BFDM20	M20 x 1,5	27	65,6	57,1	17,8
BFDM22	M22 x 1,5	27	72,6	63,6	19,1
BFDM24	M24 x 1,5				
BFDM26	M26 x 1,5				
BFDM30	M30 x 1,5				

## OFG


### BSP BANJO X BSPP MALE, 60° SEAT



Artikelcode	Draad F	D	Afmeting (mm)	
			A	S
OFG02	1/8	1/8	24	10
OFG04	1/4	1/4	25	13,8
OFG06	3/8	3/8	28	17
OFG08	1/2	1/2	32	22
OFG10	5/8	5/8	38	23
OFG12	3/4	3/4	40	30
OFG16	1"	1"	44	38
OFG20	1 1/4	1 1/4		
OFG24	1 1/2	1 1/2		
OFG32	2"	2"		

## OFBG


### BSP BANJO X BSPP MALE WITH COLLAR, 60° SEAT



Artikelcode	Draad F	D	Afmeting (mm)	
			A	S
OFBG02	1/8	1/8	24	10
OFBG04	1/4	1/4	31	13,8
OFBG06	3/8	3/8	40	17
OFBG08	1/2	1/2	55	22
OFBG10	5/8	5/8		
OFBG12	3/4	3/4	45	30
OFBG16	1"	1"		
OFBG20	1 1/4	1 1/4		
OFBG24	1 1/2	1 1/2		
OFBG32	2"	2"		

## OFC


### BSP BANJO X METRIC STANDPIPE



Artikelcode	Afmeting (mm)				
	D	A	B	F	S
OFC02	1/8				
OFC04	1/4				
OFC06	3/8	38,6	26	12	17
OFC8	1/2				
OFC10	5/8				
OFC12	3/4				
OFC16	1"				
OFC20	1"1/4				
OFC24	1"1/2				
OFC32	2"				

## OFL


### BSP BANJO X METRIC MALE, 24° SEAT



Artikelcode	Draad F	Afmeting (mm)		
		D	A	S
OFL02		1/8 Gas		
OFL04		1/4 Gas		
OFL06	M18 x 1,5	3/8 Gas	25,4	17
OFL08		1/2 Gas		
OFL10		5/8 Gas		
OFL12		3/4 Gas		
OFL16		1" Gas		
OFL20		1"1/4 Gas		
OFL24		1"1/2 Gas		
OFL32		2" Gas		

## OFM


### BSP BANJO X METRIC MALE, 60° SEAT



Artikelcode	Draad F	Afmeting (mm)		
		D	A	S
OFM10	M10x1	M 10	24	10
OFM12	M12x1,5	M 12	24	12
OFM14	M14x1,5	M 14	25	14
OFM16	M16x1,5	M 16	28	17
OFM18	M18x1,5	M 18	30	20
OFM20	M20x1,5			
OFM22	M22x1,5	M 22	32	22
OFM24	M24x1,5			
OFM26	M26x1,5			
OFM30	M30x1,5			

## OFRG


### BSP BANJO X BSP MALE REDUCING, 60° SEAT



Artikelcode	Draad F	Afmeting (mm)		
		D	A	S
OFRG0604	1/4	3/8	25	17
OFRG0804	1/4	1/2	25	22
OFRG0806	3/8	1/2	28	22
OFRG1206	3/8	3/4		
OFRG1208	1/2	3/4	32	30
OFRG1608	1/2	1"		
OFRG1612	3/4	1"		

## OFRGM


### BSP BANJO X METRIC MALE REDUCING, 60° SEAT



Artikelcode	Draad F	Afmeting (mm)		
		D	A	S
OFRGM0414	M14 x 1,5	1/4	25	13,8
OFRGM0614	M14 x 1,5	3/8	25	17
OFRGM0616	M16 x 1,5	3/8	28	17
OFRGM0618	M18 x 1,5	3/8	28	19
OFRGM0818	M18 x 1,5	1/2	30	22
OFRGM0822	M22 x 1,5	1/2	32	23,5

## OFRMG


### METRIC BANJO X BSPP MALE REDUCING, 60° SEAT



Artikelcode	Draad F	Afmeting (mm)		
		D	A	S
OFRMG1404	1/4	M 14	25	14
OFRMG1606	3/8	M 16	28	17
OFRMG1808	1/2	M 18	32	22
OFRMG2206	3/8	M 22	28	22
OFRMG2208	1/2	M 22	32	22

## P


### BSPP BULKHEAD ADAPTOR, 60° SEAT



Artikelcode	Draad		Afmeting (mm)			
	F	F'	CH	A	M	M'
P02		1/8				
P04		1/4	19	45,9	11,2	27,5
P06		3/8	22	54	13,6	32
P08		1/2	27	60	14,8	35,6
P10		5/8				
P12		3/4	32	64,8	17	37
P16		1"	41	82,3	20,3	50
P20		1 1/4	50	85,1	22	51,9
P24		1 1/2				
P32		2"				

## C

### NUT FOR BSPP BULKHEAD ADAPTOR




Artikelcode	Draad F	Afmeting (mm)		
		CH	A	
C02	1/8			
C04	1/4	19	8	
C06	3/8	22	8,7	
C08	1/2	27	9	
C10	5/8			
C12	3/4	32	9,4	
C16	1"	41	10,8	
C20	1 1/4	50	12	
C24	1 1/2			
C32	2"			



## BSG


### BSP FEMALE WELD BOSS



Artikelcode	Draad F	Afmeting (mm)	
		A	D
BSG02	1/8	16	19
BSG04	1/4	17	22
BSG06	3/8	17	25
BSG08	1/2	18,3	30
BSG10	5/8		
BSG12	3/4	20,4	36
BSG16	1"	24,5	46
BSG20	1 1/4	30,5	55
BSG24	1 1/2	30,5	60
BSG32	2"	30,5	70

## BSM


### METRIC FEMALE WELD BOSS



Artikelcode	Draad F	Afmeting (mm)	
		A	D
BSM10	M10 x 1	16	19
BSM12	M12 x 1,5	16	19
BSM14	M14 x 1,5	14	22
BSM16	M16 x 1,5	14	24
BSM18	M18 x 1,5	18	28
BSM20	M20 x 1,5	18	30
BSM22	M22 x 1,5	18,5	30
BSM24	M24 x 1,5	20	36
BSM26	M26 x 1,5	21	36
BSM30	M30 x 1,5	22	46

## MNEG


### BSPB MALE X TUBE WELD, 60° SEAT



Artikelcode	Draad F	Afmeting (mm)		
		CH	A	M
MNEG02	1/8	14	15,7	9,6
MNEG04	1/4	19	17,8	11,2
MNEG06	3/8	22	21,3	13,6
MNEG08	1/2	27	23,6	14,8
MNEG10	5/8	30	25,8	16
MNEG12	3/4	32	26,9	17
MNEG16	1"	41	31,3	20,3
MNEG20	1"1/4	50	36,5	22
MNEG24	1"1/2	55	36,8	22
MNEG32	2"	70	40	24

## MNEM


### METRIC MALE X TUBE WELD, 60° SEAT



Artikelcode	Draad F	Afmeting (mm)		
		CH	A	M
MNEM10	M10 x 1	14	13,5	8
MNEM12	M12 x 1,5	17	18,1	11
MNEM14	M14 x 1,5	19	19,2	12
MNEM16	M16 x 1,5	22	21,4	13
MNEM18	M18 x 1,5	24	22,4	14
MNEM20	M20 x 1,5	27	23,6	14
MNEM22	M22 x 1,5	27	24,6	15
MNEM24	M24 x 1,5	32	26,8	16
MNEM26	M26 x 1,5	32	26,8	16
MNEM30	M30 x 1,5	36	28	16

## MNTG


### BSPP MALE X TUBE WELD, 60° SEAT



Artikelcode	Draad F	Afmeting (mm)		
		A	M	D
MNTG02	1/8			
MNTG04	1/4	25	11,2	15
MNTG06	3/8	35	13,6	17
MNTG08	1/2	35	14,8	21
MNTG10	5/8			
MNTG12	3/4	41	17	28
MNTG16	1"	41	20,3	35
MNTG20	1"1/4	45	22	43
MNTG24	1"1/2	50,5	22	48
MNTG32	2"	55	24	60

## OSSG


### WELD NIPPLE FOR SLIP NUTS



Artikelcode	NUT D	Afmeting (mm)	
		A	B
OSSG04	1/4	22	16
OSSG06	3/8	25	17
OSSG08	1/2	27	18
OSSG12	3/4	35	24
OSSG16	1"	37	27
OSSG20	1"1/4	43	30
OSSG24	1"1/2	46	33

## DSG


### BSPP SLIP NUT



Artikelcode	Draad F	Afmeting (mm)	
		CH	A
DSG04	1/4	19	15
DSG06	3/8	22	18
DSG08	1/2	27	18,4
DSG10	5/8	30	19
DSG12	3/4	32	22,1
DSG16	1"	38	24
DSG20	1 1/4	50	26
DSG24	1 1/2	55	28
DSG32	2"	70	29

## DSM


### METRIC SLIP NUT



Artikelcode	Draad F	Afmeting (mm)	
		CH	A
DSM10	M10x1,5	15	14
DSM12	M12x1,5	17	17
DSM14	M14x1,5	19	19
DSM16	M16x1,5	22	24
DSM18	M18x1,5	24	24
DSM20	M20x1,5	27	27
DSM22	M22x1,5	27	28
DSM24	M24x1,5	32	28
DSM26	M26x1,5	32	32

## OCSG


### BSP BANJO X TUBE WELD



Artikelcode	∅ lasbaar op: B	D	Afmeting (mm)	
			A	S
OCSG0206	6	1/8	19	10
OCSG0406	6	1/4	24	13,8
OCSG0408	8	1/4	24	13,8
OCSG0410	10	1/4	24	13,8
OCSG0412	12	1/4	24	13,8
OCSG0610	10	3/8	28	17
OCSG0612	12	3/8	28	17
OCSG0614	14	3/8	28	17
OCSG0812	12	1/2	32	22
OCSG0814	14	1/2	32	22
OCSG0815	15	1/2	32	22
OCSG0816	16	1/2	32	22
OCSG0818	18	1/2	32	22
OCSG1018	18	5/8	33,7	23
OCSG1220	20	3/4	40	30
OCSG1222	22	3/4	40	30
OCSG1627	27	1"	57	38

## OCSM


### METRIC BANJO X TUBE WELD



Artikelcode	∅ lasbaar op:		Afmeting (mm)		
	B	D	A	S	
OCSM0604	4	M 6	13	8	
OCSM0804	4	M 8	15	8	
OCSM0806	6	M 8	15	8	
OCSM1006	6	M 10	17	10	
OCSM1208	8	M 12	22	12	
OCSM1406	6	M 14	24	14	
OCSM1408	8	M 14	24	14	
OCSM1410	10	M 14	24	14	
OCSM1412	12	M 14	24	15	
OCSM1610	10	M 16	28	17	
OCSM1612	12	M 16	28	17	
OCSM1812	12	M 18	29	20	
OCSM1814	14	M 18	29	20	
OCSM1816	16	M 18	29	22	
OCSM1818	18	M 18	29	22	
OCSM2014	14	M 20	32	22	
OCSM2015	15	M 20	32	22	
OCSM2216	16	M 22	32	22	
OCSM2418	18	M 24	35	24	
OCSM2420	20	M 24	36	24	
OCSM2620	20	M 26	40	30	

## C90MMG


### ELBOW 90° BSPP X BSPT MALE, 60° CONE



Artikelcode	Draad	Draad	Afmeting (mm)		
	F	F'	CH	A	B
C90MMG04	1/4	1/4	14	25	26
C90MMG06	3/8	3/8	17	26	29
C90MMG08	1/2	1/2	19	30	31
C90MMG12	3/4	3/4	27	37	42
C90MMG16	1"	1"	36	43	47
C90MMG20	1 1/4	1 1/4	41	50	54
C90MMG24	1 1/2	1 1/2			
C90MMG32	2"	2"			

## COG


### ELBOW 90° BSPP ADJUSTABLE



Artikelcode	Draad	Draad	Afmeting (mm)			
	F	F'	CH	CH'	A	B
COG04		1/4	14	19	25	31
COG06		3/8	19	22	30	38
COG08		1/2	22	27	36	43
COG12		3/4	27	36	38	50
COG16		1"	36	41	45	52
COG20		1 1/4	41	50	52	57
COG24		1 1/2	48	60	59	62

## C90MFGC

ELBOW 90° BSPP MALE X BSPT FEMALE SWIVEL, 60° CONE SEAT




Artikelcode	Draad		Afmeting (mm)			
	F	F'	CH	CH'	A	B
C90MFGC04	1/4	1/4	14	19	25	23
C90MFGC06	3/8	3/8	19	22	30	24
C90MFGC08	1/2	1/2	22	27	36	31
C90MFGC12	3/4	3/4	27	32	40	33
C90MFGC16	1"	1"	33	38	48	40
C90MFGC20	1 1/4	1 1/4	41	50	52	55
C90MFGC24	1 1/2	1 1/2				



## TMMM


### TEE BSPP MALE X MALE X MALE, 60° SEAT



Artikelcode	Draad F	Afmeting (mm)			
		CH	A	B	
TMMM04	1/4	14	25	25	
TMMM06	3/8	17	26	26	
TMMM08	1/2	19	30	30	
TMMM12	3/4	27	37	37	
TMMM16	1"	36	43	43	
TMMM20	1 1/4	41	50	50	
TMMM24	1 1/2				
TMMM32	2"				

## TMFM


### TEE BSPP MALE X FEMALE X MALE, 60° CONE SEAT



Artikelcode	Draad F	Afmeting (mm)			
		CH	CH'	A	B
TMFM04	1/4	14	19	25	23
TMFM06	3/8	19	22	30	24
TMFM08	1/2	22	27	36	31
TMFM12	3/4	27	32	40	37
TMFM16	1"	33	38	48	40
TMFM20	1 1/4	41	50	52	49

## TMMF


### TEE BSPP MALE X MALE X FEMALE, 60° SEAT



Artikelcode	Draad F	Afmeting (mm)				
		CH	CH'	A	B	D
TMMF04	1/4	14	19	48	25	25
TMMF06	3/8	19	22	58	30	30
TMMF08	1/2	22	27	69	36	36
TMMF12	3/4	27	32	76	40	40
TMMF16	1"	33	38	88	48	48
TMMF20	1 1/4	41	50	100	52	52

## TMBG


### BSPP PLUG - INNER HEXAGON DIN 908



Artikelcode	Draad F	Afmeting (mm)			
		A	CH	D	
TMBG02	1/8	11	5	14	
TMBG04	1/4	15	6	18	
TMBG06	3/8	15	8	22	
TMBG08	1/2	18	10	26	
TMBG10	5/8				
TMBG12	3/4	20	12	32	
TMBG16	1"	21	17	40	

## TMBORG


### BSPP PLUG - INNER HEXAGON C/W SEAL



Artikelcode	Draad F	Afmeting (mm)			
		A	CH	D	
TMBORG02	1/8	9	5	14	
TMBORG04	1/4	12	6	18	
TMBORG06	3/8	14	8	23	
TMBORG08	1/2	14	10	27	
TMBORG10	5/8				
TMBORG12	3/4	17	12	32	
TMBORG16	1"	18	17	40	
TMBORG20	1 1/4	18	17	50	

## TSTG

### BSPT PLUG - INNER HEXAGON DIN 906



Artikelcode	Draad F	Afmeting (mm)	
		A	CH
TSTG02	1/8	8	5
TSTG04	1/4	10	7
TSTG06	3/8	10	8
TSTG08	1/2	10	10
TSTG10	5/8		
TSTG12	3/4		
TSTG16	1"		

## RBG

### BSP BONDED SEAL



Artikelcode	Draad F	
RBG02	1/8	
RBG04	1/4	
RBG06	3/8	
RBG08	1/2	
RBG10	5/8	
RBG12	3/4	
RBG16	1"	
RBG20	1 1/4	
RBG24	1 1/2	
RBG32	2"	

## RBM

### METRIC BONDED SEAL



Artikelcode	Draad F	
RBM06	M6	
RBM08	M8	
RBM10	M10	
RBM12	M12	
RBM14	M14	
RBM16	M16	
RBM18	M18	
RBM20	M20	
RBM22	M22	
RBM24	M24	
RBM26	M26	
RBM28	M28	
RBM30	M30	

## RRG

### BSP COPPER SEAL



Artikelcode	Draad F	
RRG04	1/4	
RRG06	3/8	
RRG08	1/2	
RRG10	5/8	
RRG12	3/4	
RRG16	1"	
RRG20	1"1/4	
RRG24	1"1/2	
RRG32	2"	

## RRM

### METRIC COPPER SEAL



Artikelcode	Draad F	
RRM06	M6	
RRM08	M8	
RRM10	M10	
RRM12	M12	
RRM14	M14	
RRM16	M16	
RRM18	M18	
RRM20	M20	
RRM22	M22	
RRM24	M24	
RRM26	M26	
RRM28	M28	
RRM30	M30	
RRM34	M34	

## RAG

### BSP ALLUMINIUM SEAL



Artikelcode	Draad F	
RAG04	1/4	
RAG06	3/8	
RAG08	1/2	
RAG10	5/8	
RAG12	3/4	
RAG16	1"	
RAG20	1 1/4	
RAG24	1 1/2	
RAG32	2"	

## RAM


### METRIC ALLUMINIUM SEAL



Artikelcode	Draad F	
RAM06	M6X1	
RAM08	M8X1	
RAM10	M10X1	
RAM12	M12X1,5	
RAM14	M14X1,5	
RAM16	M16X1,5	
RAM18	M18X1,5	
RAM20	M20X1,5	
RAM22	M22X1,5	
RAM24	M24X1,5	
RAM26	M26X1,5	
RAM28	M28X1,5	
RAM30	M30X1,5	
RAM34	M34x1,5	

## MFF


### BSPP FIXED FEMALE CONNECTOR - ASA 3000



Artikelcode	Draad	Afmeting (mm)	
		A	D
MFF02	1/8	32	16
MFF04	1/4	35	19
MFF06	3/8	38	22
MFF08	1/2	48	29
MFF12	3/4	51	35
MFF16	1"	60	44
MFF20	1 1/4	67	57
MFF24	1 1/2	79	64
MFF32	2"	86	76

## C90ASAG

### ELBOW 90° BSPP FIXED FEMALE - ASA 2000




Artikelcode	Draad	Afmeting (mm)	
		A	
C90ASAG02	1/8	21	
C90ASAG04	1/4	21	
C90ASAG06	3/8	25	
C90ASAG08	1/2	29	
C90ASAG12	3/4	33	
C90ASAG16	1"	38	
C90ASAG20	1 1/4	44	
C90ASAG24	1 1/2	51	
C90ASAG32	2"	60	



## TASAG


### TEE BSPP FIXED FEMALE - ASA 2000



Artikelcode	Draad	Afmeting (mm)	
	F	A	
TASAG02	1/8	21	
TASAG04	1/4	21	
TASAG06	3/8	25	
TASAG08	1/2	29	
TASAG12	3/4	33	
TASAG16	1"	38	
TASAG20	1 1/4	44	
TASAG24	1 1/2	51	
TASAG32	2"	60	

## CASAG

### CROSS BSPP FIXED FEMALE - ASA 2000



Artikelcode	Draad	Afmeting (mm)	
	F	A	
CASAG02	1/8	21	
CASAG04	1/4	21	
CASAG06	3/8	25	
CASAG08	1/2	29	
CASAG12	3/4	33	
CASAG16	1"	38	
CASAG20	1 1/4	44	
CASAG24	1 1/2	51	
CASAG32	2"	60	

